


LEGEND:

TOOLED JOINT  
(REFER TO SD210)


TJ

NOTES:


1. HEAVY DUTY COVERS TO BE USED WHEN SUBJECT TO TRAFFICABLE LOADS (AS3996 CLASS D - 210kN) OR APPROVED EQUIVALENT. MEDIUM DUTY COVERS TO BE USED IN OFF ROAD USE (AS3996 CLASS B - 80kN) OR APPROVED EQUIVALENT.
2. IF PIT IS LOCATED WITHIN A SPOON DRAIN REDUCE DEPRESSION TO 40mm
3. USE HEELSAFE GRATES IN PEDESTRIAN AREAS U.N.O.
4. GRATES TO BE BOLT DOWN U.N.O.




PLAN



SECTION A-A



ALTERNATIVE ARRANGEMENT



SECTION B-B

ALL MEASUREMENTS IN MILLIMETRES

|                                                                                                                                              |                   |            |     |     |     |                                                |                       |          |
|----------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------|-----|-----|-----|------------------------------------------------|-----------------------|----------|
|                                                                                                                                              |                   |            |     |     |     | INFRASTRUCTURE GUIDELINES (SA)                 |                       |          |
|                                                                                                                                              |                   |            |     |     |     |                                                |                       |          |
| C                                                                                                                                            | MINOR AMENDMENTS  | 18.07.2017 | JZ  | JC  | DSL | SHEET TITLE<br>STORMWATER DEPRESSED GRATED PIT |                       |          |
| B                                                                                                                                            | ISSUED FOR REVIEW | 10.05.2016 | JZ  | DL  | DSL |                                                |                       |          |
| A                                                                                                                                            | ISSUED FOR REVIEW | 15.03.2016 | RJF | DL  | DSL |                                                |                       |          |
| REV                                                                                                                                          | DESCRIPTION       | DATE       | DES | DRW | APP |                                                | SCALE<br>NTS @ A3     |          |
| THIS PROJECT HAS BEEN ASSISTED BY THE LOCAL GOVERNMENT RESEARCH AND DEVELOPMENT SCHEME AND INSTITUTE OF PUBLIC WORKS ENGINEERING AUSTRALASIA |                   |            |     |     |     |                                                | DRAWING No.<br>SD 310 | REV<br>C |